
CS140 - Assignment 0

Due: Sunday, Jan 21 at 10pm



SCIENCE TIP: LOG SCALES ARE FOR QUITTERS WHO CAN'T FIND ENOUGH PAPER TO MAKE THEIR POINT PROPERLY.

http://xkcd.com/1162/

- For this assignment you must work with a partner. You can work with someone from either section. If you would like help finding a partner, let me know **ASAP**.
- This assignment must be typeset using LATEX. You are encouraged to take the source file for the assignment and modify it by adding your solutions.
- An important part of being a computer scientist is the ability to express solutions clearly and thoroughly. Therefore, you are expected to explain each step of your solution and to present your solutions clearly and precisely. Part of the score on each problem will be for quality of presentation. Note that correct answers without justification are not worth very many points!

1. [14 points] Which is bigger?

For each of the two options below, state which one is larger (or if they're equal) and give a justification for your answer. If the base of the log is not specified, then the answer should apply to all bases (≥ 2). Your justification should be similar to those we looked at in class. Do **not** simply plug these answer into a calculator (though you're welcome to check your logic that way). For all variables (e.g., x or n, assume they are positive).

- (a) $\log 10$ vs. $\log 20$
- (b) $\log_4 n$ vs $\log_5 n$
- (c) $\log_5 75 \text{ vs } \log_2 12$
- (d) $\log_7 24.5$ vs $\log_5 12.5$
- (e) $\log x^4 \operatorname{vs} \log x + \log x^3$
- (f) $((x^2)^2)^2$ vs x^7
- (g) a^b vs. b^a for constants a and b, where a > b > 3.

2. [5 points] Pseudocode

- (a) Write pseudocode for a function dedup that takes as input an array/list and returns a new array/list with all of the duplicates removed. You don't have to necessarily follow the conventions used in class, but use something reasonable and be consistent.
- (b) What is the big-O running time of your function? Give a brief (one sentence) justification.

3. [9 points] Properties of Logs

To get you warmed up, here is an example proof showing that $\log_b xy = \log_b x + \log_b y$.

Let:

 $k = \log_b xy$

 $\ell = \log_b x$

 $m = \log_b y$

We want to show that $k = \ell + m$.

- By the definition of logarithms, we know:

 $b^k = xy$

 $b^{\ell} = x$

 $b^m = y$

- From these, by properties of exponents

$$b^k = b^\ell b^m = b^{\ell+m}$$

Taking the log of both sides, we obtain $k = \ell + m$, which is what we wanted to show.

Now give proofs for each of the following properties of logarithms. Write your proofs out carefully. You should assume that a, b, c, n are positive real numbers (not necessarily integers).

- (a) $\log_b a^n = n \log_b a$
- (b) $\log_b a = \frac{\log_c a}{\log_c b}$
- (c) $a^{\log_b n} = n^{\log_b a}$

4. [5 points] Running Times

Suppose you have algorithms that execute the following number of operations as a function of the input size n. If you have a computer that can perform 10^{10} operations per second, for each algorithm what is the largest (integer!) input size n for which you would be able to get the result within a minute? Be as precise as possible. But, for once, no explanation necessary!

- (a) $60n^2$
- (b) n^3
- (c) \sqrt{n}
- (d) $n \log_2 n$
- (e) 2^n

5. [20 points] Writing proofs

The objective of these two problems are to reinforce clear and precise writing on mathematical material.

(a) There are two buses, A and B, about to take students on a field trip. Bus A contains 50 1st grade students. Bus B contains 50 2nd grade students. Before the buses leave, 8 students run out of Bus A and onto Bus B. The teachers then randomly choose 8 of the now 58 students on Bus B and force them to move to Bus A. The buses then (finally!) drive off.

Are there more 2nd grade students in Bus A or more 1st grade students in Bus B?

(b) Prove by induction that $\sum_{i=1}^{n} \frac{1}{i(i+1)} = \frac{n}{n+1}$ for all integers $n \ge 1$. Do you need strong induction? Why or why not?