Advanced Algorithms

- You are running a Hot Tub production company.
- You can produce two types of hot tubs: Aqua-Spas and Hydro-Luxes.
- They require resources (pumps, labor, and tubing), and yield a certain profit

	Aqua-Spa	Hydro-Lux
Pumps	1	1
Labor	9 hours	6 hours
Tubing	12 feet	16 feet
Price	\$350	\$300

- You have 200 pumps, 1566 hours of labor, and 2880 feet of tubing.
- How many of each hot tub to produce if we want to maximize sales?

Logistics

- Exercise set 2
 - Due next Tuesday in class. On webpage
 - Submit your feedback about the course
- Assignment 2 will be released next Tuesday
 - Will be shorter
- No class next Thursday
 - I'm going to a conference:)
- Room change after Fall break

Linear Programming is in P

$$\max / \min \quad r_1 x_1 + r_2 x_2 + r_3 x_3 + \dots + r_n x_n$$
 subject to $a_1 x_1 + a_2 x_2 + a_3 x_3 + \dots + a_n x_n \leq u$ \vdots $b_1 x_1 + b_2 x_2 + b_3 x_3 + \dots + b_n x_n \geq v$ \vdots $c_1 x_1 + c_2 x_2 + c_3 x_3 + \dots + c_n x_n = w$ \vdots

Integer Linear Programming . . .

```
\max / \min \quad r_1 x_1 + r_2 x_2 + r_3 x_3 + \cdots + r_n x_n
subject to a_1x_1 + a_2x_2 + a_3x_3 + \cdots + a_nx_n \le u
               b_1x_1 + b_2x_2 + b_3x_3 + \cdots + b_nx_n \ge v
                                                                           Is NP-hard
               c_1x_1 + c_2x_2 + c_3x_3 + \cdots + c_nx_n = w
                                                                                Why?
               x_i is an integer value for all i \in [n]
```

Integer Programming formulation:

```
x = number of Aqua-Spas to producey = number of Hydro-Luxes to produce
```

Maximize: 350x + 300y

Subject to:

```
x+y \le 200 (pumps)

9x+6y \le 1566 (labor)

12x+16y \le 2880 (tubing)

x,y \ge 0 (non-negativity)

x,y integer
```

Linear Programming relaxation:

x = number of Aqua-Spas to producey = number of Hydro-Luxes to produce

Maximize: 350x + 300y

Subject to:

 $x + y \le 200$ (pumps) $9x + 6y \le 1566$ (labor) $12x + 16y \le 2880$ (tubing) $x, y \ge 0$ (non-negativity) x, y integer How can this be used in an algorithm?

New Scenario

	Aqua-Spa	Hydro-Lux
Pumps	1	1
Labor	9 hours	6 hours
Tubing	12 feet	16 feet
Price	\$350	\$300

- You have 200 pumps, 1566 hours of labor, and 2880 feet of tubing.
- You have hired exactly 1566 hours, have to pay \$8 for over time or idle time.

How to model this?