

Lecture 5: Functions

CS 51P

September 18, 2018

Review: Expressions

- Values
 - 47
 - "hello, world!\n"
 - True
- Variables
 - x
 - i
 - char
- Operations on values or variables
 - $1 * 2 * 3$
 - "hello" + "world"
 - $x \% 2$
- Function calls
 - `int("32")`
 - `print("hello, world")`
 - `str.isdigit("12345678")`

Functions

- A function is a named sequence of instructions that performs some useful operation
- When you call a function, the sequence of instructions executes.
- A function call is an expression (it evaluates to a value)
- When should you define a function?
- How can you define your own functions?
- How do you use (call) your own functions?

Defining Functions

- Why?
 - There's some useful operation that you want to do over and over and over
 - Easier to read/understand
 - Easier to modify/change/debug

```
+++++++  
++  **  ++  
++  **  ++  
+++++++
```

- How?

header



```
def print_logo():
```

body




```
    s1 = (8*'+' )+'\n'  
    s2 = '++ ** ++\n'  
    print(s1+s2+s2+s1)
```

Calling Functions

```
def print_logo():  
    s1 = (8*'+' )+'\n'  
    s2 = '++ ** ++\n'  
    print(s1+s2+s2+s1)  
  
print("Here's my company logo:")  
print_logo()  
print("I can easily print it as many times"  
      + "as I need to")  
print_logo()
```

Exercise: Defining a Function

- Define a function `print_flag()` that prints the following image:



- Write a program that asks the user for a positive integer and then prints that number of flags

Function Evaluation

- Functions calls are expressions, i.e. they evaluate to a value
 - `int("47")` evaluates to 47
 - `str.isdigit("hello")` evaluates to False
 - `input()` evaluates to the string the user enters
- We can store the value that an expression evaluates to in a variable
 - `num = int("47")`
 - `is_pos_int = str.isdigit("hello")`
 - `input_str = input()`
- What value does the expression `print_flag()` evaluate to?

Return Values

- keyword **return** defines a value for the function to evaluate to

```
def one():  
    return 1  
  
print(one())  
three = 2*one()+one()
```

- function immediately terminates ("returns") when a return statement is executed
- if a function terminates without executing a return statement, it evaluates to the default value None (type is NoneType)

Example

- Define a function `get_string_with_upper()` that repeatedly asks the user for a string until the user enters a string with at least one upper case letter and then returns that string.
- Define a function `get_string_with_2_upper()` that gets two strings from the user, each of which must contain at least one upper case letter, and then returns the concatenation of those two strings.
- Write a program that calls `get_string_with_2_upper` and prints the value that function evaluates to.

Exercise

- Define a function `get_pos_int()` that repeatedly asks the user for an input until the user enters a positive integer and then returns that number as an int.
- Write a program that gets a positive integer from the user (using `get_pos_int()`) and then prints that number of flags (using `print_flag()`)