

Computer Science 62

Lab 3

Wednesday, February 11, 2015

In this lab, we'll be playing with some of the sorting algorithms we've discussed in class. In addition, you'll get some familiarity with the `merge` method of `MergeSort`, which you'll be implementing an on-disk version of for the next assignment.

Note: this lab assumes you've kept up with the reading for the class! In particular, we'll be looking at Bubble sort, Insertion sort, Selection sort, Quicksort and Mergesort which are all described in Chapter 6 of the Java Structures textbook.

1 Getting started

Create a new project in Eclipse called `Lab03`. Then open up `Terminal` and copy the starter files from:

```
/common/cs/cs062/labs/lab03
```

Note that there are two directories inside of `lab03` that you need to copy to your workspace. Be sure to copy both directories (and not just the files in the directories)! To do this type:

```
cp -r /common/cs/cs062/labs/lab03/* ~/Documents/cs062/workspace/Lab03
```

The flag `-r` tells the copy command to recursively copy all files and directories. The star `*` is a wildcard symbol that matches "everything". So this command recursively copies everything from the `lab03` directory to your Eclipse directory.

After you've copied the code, spend 5 minutes looking at the different classes. In particular,

- Look at the interface
- Look at how the `Quicksort` and `MergeSort` classes implement the interface
- Look at how the `SortTimer` class is able to print out data for an arbitrary number of `Sorter` classes (this is the benefit of using an interface!)

- Notice that the `SortTimer` class does a check for correctness after sorting. If you make a mistake in implementing your `merge` method, you'll get an error here.

2 Finish MergeSort

You've been given all of the code for this lab except the `merge` method, which you should now implement. Give it a good effort, but if you get stuck, I've provided a solution below. However, it will benefit you to figure it out during lab (without looking at the solution) while you have help since you will be implementing something similar for your assignment.

Once this is done, you should be able to run the `SortTimer` class.

3 Play with the timing

Run the `SortTimer` class. Do the times look like you'd expect? Which one is faster?

This should give you some confidence that `Quicksort` average case works as we expect. As an additional test, change the `printTimes` method to generate sorted data instead of random data. How does this change your timing data? Is this what you expected?

4 Playing with the sorting algorithms

In Eclipse, navigate to the `coinSort` package and click on the file `CoinSort.java`. Now click on the run symbol (the green circle with the white triangle) in the top toolbar.

You will see a window similar to the one for the Silver Dollar Game, except that all the squares are filled, and the coins have different sizes. Use the keystrokes below to shuffle and sort the coins. Experiment with several of the sorting algorithms.

- b**: sort the coins using bubble sort
- c**: sort the coins using a randomly-selected algorithm
- i**: sort the coins using insertion sort
- q**: sort the coins using quicksort
- r**: rearrange the coins into a random order
- s**: sort the coins using selection sort
- x**: exit the program

The program you are using has a few additional features. Typing **f** (for “freeze”) stops the sorting; typing **t** (for “thaw”) resumes the sorting. Typing **f** when the sorting is frozen advances the algorithm by one step. You can continue to type **f** to proceed step-by-step, or **t** to resume normal execution.

Typing `c` selects one of the sorting algorithms at random and executes it. Practice with the `c` command to develop your skill in identifying the algorithm from the pattern of comparisons and swaps.

5 If you still have time...

Implement a new class for one of the $O(n^2)$ running time sorting methods that **implements** our `Sorter` interface. Add this new class into the `SortTimer` class and compare its runtime to the other sorting methods.

An implementation of merge. Here is one implementation of the `merge` algorithm. It uses an extra `ArrayList`, and so `mergesort` does not sort “in place” as our other algorithms do.

```

public void merge(ArrayList<E> list, int low, int mid, int high){
    Object[] temp = new Object[high-low];

    int tempIndex = 0;
    int lowIndex = low;
    int midIndex = mid;

    while( lowIndex < mid &&
           midIndex < high ){

        if( list.get(lowIndex).compareTo(list.get(midIndex)) < 1 ){
            temp[tempIndex] = list.get(lowIndex);
            lowIndex++;
        }else{
            temp[tempIndex] = list.get(midIndex);
            midIndex++;
        }

        tempIndex++;
    }

    // copy over the remaining data on the low to mid side if there
    // is some remaining.
    while( lowIndex < mid ){
        temp[tempIndex] = list.get(lowIndex);
        tempIndex++;
        lowIndex++;
    }

    // copy over the remaining data on the mid to high side if there
    // is some remaining. Only one of these two while loops should
    // actually execute
    while( midIndex < high ){
        temp[tempIndex] = list.get(midIndex);
        tempIndex++;
        midIndex++;
    }

    // copy the data back from temp to list
    for( int i = 0; i < temp.length; i++ ){
        list.set(i+low, (E)temp[i]);
    }
}

```