

Lecture 3I: OOLs

CSC 131
Fall, 2014

Kim Bruce

Key ideas of Smalltalk

- Everything is an object
- Information hiding - instance variables protected.
- Dynamic typing, so subtyping determined by whether can masquerade -- “message not understood”
- Inheritance distinct from subtyping

Smalltalk




Figure 5: Interfaces versus Inheritance

C++

C++ Design Goals

- Data abstraction & OO features
- Better static type checking
- Backwards compatibility w/ C
- Efficiency: If you do not use a feature, you should not pay for it
- Explicitly hybrid language -- C w/abstraction

Additions to C

- type bool
- reference types & call by reference
- user-defined overloading
- templates
- exceptions
- public or private inheritance

Problems

- Confusing casts and conversions
- Objects allocated on stack
 - what happens w/subtyping? truncation!
- Overloading methods -- see earlier examples!
- Multiple inheritance (*later*)

Casts & Conversions

- Implicit conversions:
 - from short to int
 - class B { public: B (A a) {} }; A a; B b = a;
- Explicit conversions:
 - C c; D* d; d = (D*) &c; d -> DonlyMeth();
- Try to avoid problems by using new casts:
 - static_cast, dynamic_cast, reinterpret_cast, const_cast
 - dynamic_cast checks using run-time type info (RTTI)
 - reinterpret_cast trusts


Objects on stack

- Doesn't interact well with subtyping.
- Point p; // allocates point on stack
- ColorPoint cp(3,4,blue);
- p = cp; // slices and converts to Point
- Call by value has similar problems
- What about reference parameters to methods?

OO Features in C++

- Visibility
 - Public, protected, private
 - Friends ...
- Virtual vs. nonvirtual functions
 - don't pay the price of dynamic method invocation
- Implemented via vtable
 - no search necessary
 - static typing makes efficient rep possible

VTable for Virtual methods



C++ vs Smalltalk implementation

- No search in C++ since offset for given method same in base and derived classes
- Smalltalk has no type declaration
 - value not known to be subtype of declared type
 - no idea where method is located

Abstract classes

- Have at least one method undefined
- “Pure” leaves all undefined
- Can’t construct, but can inherit from
- Derived subclasses can be used as subtypes of abstract base class.

Multiple Inheritance


- Appealing: TA derived from Student and Teacher.
- Added to C++ and Smalltalk. In Eiffel from beginning.
- Problems conceptually and with implementation

MI in C++

```
class S {...}
class T {...}
class TA: public S, public T
{...}
```


```
TA* pta = new TA();
S * ps = pta;
T * pt = pta;
```

Representing MI



*What if T and TA both define virtual f?
T methods expect inst vbles starting at pt
How get access to instance vbles from S?*

Conceptual Problems w/ MI



Diamond Inheritance: Suppose A has virtual f and B and C override it.
Which version is inherited in D?

Java Solution

- Most multiple inheritance in C++ involves pure base classes.
- Java: Single inheritance, but can implement multiple interfaces.
- Avoids problems.
- *Traits (e.g., in Scala) are modern alternative.*

C++ Summary

- One of most complicated languages ever
 - design by accretion
- Meets design goals but very hard to get right
 - “C makes it easy to shoot yourself in the foot. In C++ it's harder to shoot yourself in the foot, but when you do, you blow off your whole leg.” -- Stroustrup
- Memory management is big problem
- Most programmers learn a subset.

C++ Humor

- C++: Hard to learn and built to stay that way.
- Java is, in many ways, C++--.
- How C++ is like teenage sex:
 1. It is on everyone's mind all the time.
 2. Everyone talks about it all the time.
 3. Everyone thinks everyone else is doing it.
 4. Almost no one is really doing it.
 5. The few who are doing it are:
 - Doing it poorly.
 - Sure it will be better next time.
 - Not practicing it safely.

Java

Java Design Goals

- Portability across platforms
- Reliability
- Safety (no viruses!)
- Dynamic Linking
- Multithreaded execution
- Simplicity and Familiarity
- Efficiency

Java

- Original implementations slow
 - Compiled to JVMIL and then interpreted
 - Now JIT
 - Garbage collection
- Safety - 3 levels:
 - Strongly typed
 - JVMIL bytecode also checked before execution
 - Run-time checks for array bounds, etc.
- Other safety features:
 - No pointer arithmetic, unchecked type casts, etc.
 - Super constructor called at beginning of constructor

Exceptions & Subtyping

- All non-`Runtime` exceptions must be caught or declared in “throws” clauses
 - `void method readFiles() throws IOException {...}`
- Suppose `m` throws `NewException`.
- What are restrictions on throwing exceptions if `m` overridden in subclass? Masquerade!